

BriteSpot Quartz ES50 (GX10) BRITESPOT ES50 35W 60° 0020271



Product features

· A compact quartz metal halide reflector lamp, with stable light colour, both initially and throughout life











PRODUCT OVERVIEW

Product name	BRITESPOT ES50 35W 60°
Technology	HID
Watt (Rated) (W)	39
Lamp shape	Reflector
Cap/Base	GX10
Fixture rating	Open
General application	Education, Hospitality, Logistics & Industry, Museums & Galleries, Office, Retail
ETIM Class	EC000823
E-number FI	4844786
E-number SE	8359201
E-number Norway	3800819
Luminous flux (lm)	1850
Colour temperature (K)	3000
Light colour	Warm White Deluxe
Colour Code	War
CRI (Ra)	90
Wattage (W)	35
Dimming method	N/A
Average life (Nominal) (h)	6000
Product EAN number	5410288202716

DATA TABLE

General data	
Product name	BRITESPOT ES50 35W 60°
Technology	HID
Watt (Rated) (W)	39
Lamp shape	Reflector
Cap/Base	GX10
Fixture rating	Open
General application	Education, Hospitality, Logistics & Industry, Museums & Galleries, Office, Retail
ETIM Class	EC000823



BriteSpot Quartz ES50 (GX10) BRITESPOT ES50 35W 60° 0020271

E-number FI	4844786
E-number SE	8359201
E-number Norway	3800819
Optical data	
Optical data	
Luminous flux (Im)	1850
Luminous flux (Rated) (Im)	1850
Ambient temperature for maximum luminous flux (°C)	25
Colour temperature (K)	3000
Light colour	Warm White Deluxe
Colour Code	War
CRI (Ra)	90
Adjustable chromaticity	N
Luminous Intensity (cd)	2000
Rated lumen maint. factor (%) at 4000 h 50Hz	57
Rated lumen maint. factor (%) at 6000 h 50Hz	44
DataTableGroup Electrical	
. –	٥٢
Wattage (W)	35
Starting time (max) (s)	<1s
Warm-up time to 60% of full light (max) (s)	35s
Current (A)	0.53
Control gear required	Yes
Dimming method	N/A
kWh per 1000 hours burning time	43
Lifetime data	
Average life (Nominal) (h)	6000
Average life (Rated) (h)	6000
Life T90	3800
Rated survival factor (%) at 2000 h 50Hz	99
Rated survival factor (%) at 4000 h 50Hz	88
Rated survival factor (%) at 6000 h 50Hz	50
` ,	
Physical data	
Max. Lamp Diameter (mm) - D	51
Weight (kg)	0.049
Packaging	
Product EAN number	5410288202716
Packaging single length / height (cm)	4.8
Packaging single width (cm)	4.8
Packaging single width (cm)	6.6
DUN14 (outer)	15410288202713
Units per outer package	15
Packaging outer length / height (cm)	27.3



BriteSpot Quartz ES50 (GX10) BRITESPOT ES50 35W 60° 0020271

Packaging outer width (cm)	16.1
Packaging outer depth (cm)	7.6
Safety data	
Lamp mercury content (mg)	4.60
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No
Suitable for household illumination	Yes

TECHNICAL DRAWINGS

